# PLASTIDIP

Page: 1

Compilation date: 31/05/2012

Revision date: 28/08/2013

Sent to: Public Server Addition.

Revision No: 3

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PLASTIDIP

Product code: Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Plastidip (UK) Ltd

East Meon

Petersfield

Hampshire

GU32 1QR

Tel: 01730 823823

Fax:

Email: sales@plastidip.co.uk

## 1.4. Emergency telephone number

Emergency tel: 01730 823823 (Office Hours Only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification under CHIP:	-: R10; Xn: R20/21; Xi: R38; -: R66
Classification under CLP:	Skin Irrit. 2: H315; Acute Tox. 4: H312+332; Flam. Liq. 3: H226; -: EUH066
Most important adverse effects: Flammable. Harmful by inhalation and in contact with skin. Irritating to skin. Repeated	
	exposure may cause skin dryness or cracking.

#### 2.2. Label elements

Label elements under CLP:	
Hazard statements:	H226: Flammable liquid and vapour.
	H312+332: Harmful in contact with skin or if inhaled.
	H315: Causes skin irritation.
	EUH066: Repeated exposure may cause skin dryness or cracking.
Signal words:	Warning
Hazard pictograms:	GHS02: Flame
	GHS07: Exclamation mark

PLASTIDIP

 Precautionary statements:
 P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

 P280: Wear protective gloves/protective clothing/eye protection/face protection.

 P260: Do not breathe vapours.

 P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.

 Rinse skin with water/shower.

 P362: Take off contaminated clothing and wash before reuse.

 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Hazard symbols: Harmful.



Risk phrases: R10: Flammable.	
	R20/21: Harmful by inhalation and in contact with skin.
	R38: Irritating to skin.
	R66: Repeated exposure may cause skin dryness or cracking.
Safety phrases:	S36/37: Wear suitable protective clothing and gloves.
	S24: Avoid contact with skin.
	S27: Take off immediately all contaminated clothing.
	S23: Do not breathe Vapours.
2.3. Other hazards	

**Other hazards:** In use, may form flammable / explosive vapour-air mixture.

**PBT:** This substance is not identified as a PBT substance.

# Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

# XYLENE - REACH registered number(s): 01-2119488216-32

EINECS	CAS	CHIP Classification	CLP Classification	Percent
215-535-7	1330-20-7	-: R10; Xn: R20/21; Xi: R38	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Skin Irrit. 2: H315	50-70%

Page: 2

PLASTIDIP

Page: 3

## Non-hazardous ingredients:

## LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROTREATED HEAVY

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-150-3	64742-48-9	Xn: R65; -: R10; -: R66	Asp. Tox. 1: H304; Flam. Liq. 3: H226	30-50%

## Section 4: First aid measures

neasures		
Remove all contaminated clothes and footwear immediately unless stuck to skin.		
Drench the affected skin with running water for 10 minutes or longer if substance is still		
on skin. Consult a doctor.		
Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye		
open. Remove any contact lenses and open eyes wide apart. Get medical attention if		
any discomfort continues		
Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water		
to drink immediately. Consult a doctor.		
Remove from exposure, rest and keep warm. In severe cases, or if recovery is not rapid		
or complete, seek medical advice.		
ns and effects, both acute and delayed		
There may be irritation and redness at the site of contact.		
There may be irritation and redness. The eyes may water profusely.		
There may be soreness and redness of the mouth and throat. Nausea and stomach		
pain may occur. There may be vomiting.		
There may be irritation of the throat with a feeling of tightness in the chest.		
Immediate effects can be expected after short-term exposure.		
4.3. Indication of any immediate medical attention and special treatment needed		
Not applicable.		
sures		
Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool		
containers.		
from the substance or mixture		
Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.		
5.3. Advice for fire-fighters		
Wear self-contained breathing apparatus. Wear protective clothing to prevent contact		
Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.		

PLASTIDIP

Section 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.		
6.2. Environmental precautio	ns		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.		
6.3. Methods and material for	r containment and cleaning up		
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.		
6.4. Reference to other section	ins		
Reference to other sections:	Refer to section 8 of SDS.		
Section 7: Handling and storage			
7.1. Precautions for safe han	dling		
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions: Suitable packaging:	Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Must only be kept in original packaging.		
7.3. Specific end use(s)			
Specific end use(s):	No data available.		

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

## Hazardous ingredients:

PLASTIDIP

Page: 5

# **XYLENE** Workplace exposure limits: Respirable dust 8 hour TWA 15 min. STEL 8 hour TWA State 15 min. STEL UK 220 mg/m3 441 mg/m3 -8.2. Exposure controls Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition. Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Hand protection: Impermeable gloves, change regularly to avoid permeation problems. Eye protection: Safety glasses. Ensure eye bath is to hand. Skin protection: Impermeable protective clothing. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless **Odour:** Aromatic Oxidising: Non-oxidising (by EC criteria) Solubility in water: Insoluble Boiling point/range°C: 136-200 Flammability limits %: lower: 0.6 Flash point°C: 23 - 55 upper: 8.0 Autoflammability°C: >230 Relative density: 0.830 9.2. Other information Other information: Not applicable. Section 10: Stability and reactivity 10.1. Reactivity Reactivity: Stable under recommended transport or storage conditions. 10.2. Chemical stability Chemical stability: Stable under normal conditions. Stable at room temperature. 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

### PLASTIDIP

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

11.1. Information on toxicological effects

#### **Relevant effects for mixture:**

Effect	Route	Basis
Acute toxicity (harmful)	INH DRM	Hazardous: calculated
Irritation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

- **Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.
- Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

#### 12.2. Persistence and degradability

#### Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

### PLASTIDIP

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### **Section 14: Transport information**

14.1. UN number

UN number: UN1993

14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: |||

### 14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 3

# Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# **Section 16: Other information**

Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and 3:	EUH066: Repeated exposure may cause skin dryness or cracking.	
	H226: Flammable liquid and vapour.	
	H304: May be fatal if swallowed and enters airways.	
	H312: Harmful in contact with skin.	

## PLASTIDIP

Page: 8 H312+332: Harmful in contact with skin or if inhaled. H315: Causes skin irritation. H332: Harmful if inhaled. H340: May cause genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. H350: May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. R10: Flammable. R20/21: Harmful by inhalation and in contact with skin. R38: Irritating to skin. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Public Server Addition.