

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/19/2019 Version: 1.0

SECTION 1: Identification

1.1. Identification Product form Product name Product code

: Mixture : PDC® F970 eccs® Soft Touch

: F97025409

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Plasti Dip International, Inc. 3920 Pheasant Ridge Drive Blaine, MN 55449 Phone - (763) 785-2156

1.4. Emergency telephone number

Emergency number

: CHEMTREC: 1-800-424-9300 (US); +1 703-741-5970 (International)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture


GHS-US classification

Eye Irrit. 2H319Skin Sens. 1H317Carc. 2H351

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Antimony oxide (Sb2O3)	(CAS-No.) 1309-64-4	1 – 5

*In accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200), the specific chemical identity or exact weight % has been withheld as a trade secret

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.
First-aid measures after inhalation	: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen.
First-aid measures after skin contact	: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.
First-aid measures after eye contact	: IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Continue rinsing if pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. Get medical attention if you feel unwell.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects	: Suspected of causing cancer (Inhalation).
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause skin irritation.
Symptoms/effects after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/effects after ingestion	: May cause gastrointestinal irritation.
Chronic symptoms	: Suspected of causing cancer (Inhalation).

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1.	1. Suitable (and unsuitable) extinguishing media				
Suitabl	e extinguishing media	: Carbon dioxide. Foam. Dry chemical. Dry powder. extinguishing powder.			
5.2.	Specific hazards arising fr	om the chemical			
Fire ha	zard	: No data available.			
Explosion hazard		: Product is not explosive.			
Reactiv	vity	: No dangerous reactions known under normal conditions of use.			
5.3.	Special protective equipment and precautions for fire-fighters				
Firefigh	nting instructions	Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment. Prevent human exposure to fire, fumes, smoke and products of combustion.			
Protect	ion during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus. 			
Other i	nformation	: Material can splatter above 100 °C / 212 °F.			
SECTI	ON 6: Accidental release mea	sures			
6.1.	Personal precautions, prot	ective equipment and emergency procedures			
Genera	al measures	Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.			
6.1.1.	For non-emergency persor	nel			
Ductors		. Ween Dustantive equipment as described in Castien 9			

Protective equipment: Wear Protective equipment as described in Section 8.Emergency procedures: Evacuate unnecessary personnel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment

: Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3.	Methods and material for containme	ent and cleaning up
For cont	ainment	 Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Prevent entry to sewers and public waters.
Methods	for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Exclude sources of ignition and ventilate the area. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).
6.4.	Reference to other sections	

No additional information available

SECTION 7: Handling and storage				
7.1.	Precautions for safe handling			
Precautions for safe handling		Handle in accordance with good industrial hygiene and safety procedures. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Use only in well-ventilated areas. Do not breathe mist, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2.	Conditions for safe storage, including any incompatibilities			

Storage conditions

: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Triethylamine (121-44-8)			
ACGIH	ACGIH TWA (ppm)	0.5 ppm		
ACGIH ACGIH STEL (ppm) ACGIH Remark (ACGIH)		1 ppm		
		URT irr; visual impair; Skin; A4 (Not classifiable as a Human Carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories)		
ACGIH	Regulatory reference	ACGIH 2018		
OSHA	OSHA PEL (TWA) (mg/m ³)	100 mg/m³		
OSHA	OSHA PEL (TWA) (ppm)	25 ppm		
OSHA	OSHA PEL (STEL) (mg/m ³)	60 mg/m³		
OSHA	OSHA PEL (STEL) (ppm)	15 ppm		
OSHA	Regulatory reference (US-OSHA)	OSHA		

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment symbol(s):



Personal protective equipment:

Gloves. Protective goggles. Protective clothing.

Hand protection:

Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier.

Eye protection:

Use eye protection suitable to the environment. Avoid direct contact with eyes.

Skin and body protection:

Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

Respiratory protection:

Use NIOSH (or other equivalent national standard) -approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: Clear to White
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified

Ethylene oxide (75-21-8)

Carcinogenicity

IARC group	1 - Carcinogenic to humans			
National Toxicology Program (NTP) Status	Known Human Carcinogens			
Antimony oxide (Sb2O3) (1309-64-4)				
IARC group	2B - Possibly carcinogenic to humans			
Reproductive toxicity	: Not classified			
Specific target organ toxicity – single exposure	: Not classified			
Specific target organ toxicity – repeated exposure	: Not classified			
Aspiration hazard	: Not classified			
Viscosity, kinematic	: No data available			
Symptoms/effects	: Suspected of causing cancer (Inhalation).			
Symptoms/effects after inhalation	: May cause respiratory irritation.			
Symptoms/effects after skin contact	: May cause skin irritation.			
Symptoms/effects after eye contact	: Direct contact with the eyes is likely to be irritating.			
Symptoms/effects after ingestion	: May cause gastrointestinal irritation.			
Chronic symptoms	: Suspected of causing cancer (Inhalation).			

: Suspected of causing cancer (Inhalation).

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

13.1. Disposal methods	
Waste treatment methods	: Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

Department of Transportation (DOT)

In accordance with DOT

Not Regulated for Transport

Transportation of Dangerous Goods

Not Regulated for Transport

Transport by sea (IMDG)

Not Regulated for Transport

Air transport (IATA)

Not Regulated for Transport

SECTION 15: Regulatory information

15.1. US Federal regulations

PDC® F970 eccs® Soft Touch						
All chemical substances in this product are listed Inactive) Requirements Rule" ("the Final Rule").	I as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active as of Feb. 2019 or are otherwise exempt.					
SARA Section 311/312 Hazard Classes	Health hazard - Carcinogenicity Health hazard - Respiratory or skin sensitization Health hazard - Serious eye damage or eye irritation					
Triethylamine (121-44-8)						
Subject to reporting requirements of United States SARA Section 313						
CERCLA RQ	5000 lb					
Ethylene oxide (75-21-8)						
Subject to reporting requirements of United States SARA Section 313						
CERCLA RQ	10 lb					
RQ (Reportable quantity, section 304 of EPA's List of Lists)	10 lb					
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb					
Antimony oxide (Sb2O3) (1309-64-4)						
Subject to reporting requirements of United State	es SARA Section 313					
CERCLA RQ	1000 lb					

15.2. International regulations

No additional information available

15.3. US State regulations

WARNING:

This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	Carcinogenicity	Developmental toxicity		Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Ethylene oxide(75-21- 8)	Х	Х		X	X	2 µg/day	
Antimony oxide (Sb2O3)(1309-64-4)	Х						
Component			State or local regulations				
Triethylamine(121-44-8)			U.S New Jersey - Right to Know Hazardous Substance List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List				
Ethylene oxide(75-21-8)			U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List				
Antimony oxide (Sb2O3)(1309-64-4)			U.S New Jersey - Right to Know Hazardous Substance List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List				

SECTION 16: Other information

Other information	: Author: TB
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
HMIS Hazard Rating	
Health	: 2
Flammability	: 0
Physical	: 0

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.